

Waterfall Access Networks

Residential Plan Submission Requirements

Clearly indicate the following when submitting plans for approval to WAN:

1. **SITE ENTRY POINT**, as per the estate layout plans for the fibre optic connection point, clearly indicate the correct orientation on the stand for the fibre optic connection point.

Notes Required

- a. To be installed in a 300mm x 300mm or similar draw box at WAN sleeve entry point.
-

2. **HOME DEMARCATION POINT (House DB)**, preferably in the garage.

Notes Required

- a. Recommended minimum enclosure size: 800mm(h) x 600mm(w) x 150mm(d)
 - b. A wooden backboard is required
 - c. A double plug socket (4' x 4' or 10.16 cm x 10.16 cm) with a power supply of 220V (15 Amp) and wall mount is required and should be adequately earthed
-

3. **ACCESS ROUTE**, indicate the physical route from the site boundary entry point to the demarcation point in garage.

Notes Required

- a. 32mm (not ribbed) conduit
 - b. Draw wire inside 32mm conduit from house DB to site entry point.
 - c. Slow bends with minimum radius of 100mm
-

Please contact our Support Centre if you require any further information.

Email: plans@waterfallaccessnetworks.com
Subject: *Client Name, Stand Number, Approvals*
Attachments: "PDF Format"

Telephone: 0861 074 663 (Contact Person: Logan Reddy 083 948 1661)
Website: www.waterfallaccessnetworks.com